

DRN: _____

**SUPPLY, DELIVERY AND INSTALLATION OF LED WALL AND AUDIO SYSTEM
FOR DSWD OPERATIONS CENTER**

(ITB No. GOP/20-DSWD-006)

23 DECEMBER 2019 | 02:30 PM

OUS-DRMG Conference Room, Directors Dormitory, DSWD Central Office

MINUTES OF PRE-BID CONFERENCE

I. Attendance

Bids and Awards Committee (BAC):

- | | | |
|-----------------------------------|---|--------------------|
| 1. U/Sec. Felicisimo C. Budiongan | - | Chairperson |
| 2. Dir. Emmanuel P. Privado | - | Regular Member |
| 3. Dir. Andrew J. Ambubuyog | - | Provisional Member |

BAC Secretariat:

- | | | |
|-----------------------------------|---|------------------------------------|
| 1. Ms. Oliva C. Arcaina | - | Supervising Administrative Officer |
| 2. Mr. William V. Garcia Jr. | - | Administrative Officer V |
| 3. Mr. Ramon M. Villareal Jr. | - | Administrative Officer V |
| 4. Mr. Ramises B. Esteban | - | Administrative Officer III |
| 5. Ms. Chelsea Jillian M. Abeleda | - | Administrative Officer II |
| 6. Ms. Marden D. Aquino | - | Administrative Assistant III |

Others in Attendance:

- | | | |
|-------------------------------|---|---|
| 1. Mr. Dennis S. Asuncion | - | Information and Communications
Technology Management Service (ICTMS) |
| 2. Mr. Onilazir A. Sta. Ines | - | ICTMS |
| 3. Ms. Abegail Gey B. Gubaton | - | Procurement Management Service (PMS)-
Procurement Planning and Management
Division (PPMD) |
| 4. Mr. Bernardo M. Marquez | - | PMS-Contract Monitoring Division (CMD) |

Prospective Bidder/s Present:

- | | | |
|---------------------------|---|--------------------------------------|
| 1. Ms. Malou Vergara | - | Joebz Computer Sales and Services |
| 2. Mr. Noel Pineda | - | The Brain Computer Corporation |
| 3. Ms. Elizabeth P. David | - | The Brain Computer Corporation |
| 4. Mr. Jacque Natividad | - | Annex Digital, Inc. |
| 5. Mr. Dennis Regunduia | - | AG Datacom Phils., Inc. |
| 6. Ms. Mariel Abdon | - | AG Datacom Phils., Inc. |
| 7. Ms. Lynn E. Zotomayor | - | Microdata Systems & Management, Inc. |
| 8. Mr. Jerome Parado | - | Anjene Industries |
| 9. Mr. Daniel Manalang | - | BCSolution Tech Corporation |



II. Call to Order

The Pre-Bid Conference for the “**Supply, Delivery and Installation of LED Wall and Audio System for DSWD Operations Center**” was called to order at **02:30 PM** by the BAC Chairperson, **U/Sec. Felicisimo C. Budiongan**. He then introduced the members of the BAC, the BAC Secretariat and the representatives from the End-user (Information and Communications Technology Management Service). *(Note: The other invited observers were unable to attend.)* He also acknowledged the presence of representatives of the prospective bidders.

A copy of the Agenda is hereto attached, marked as **Annex “A”**, and made an integral part hereof.

III. Highlights of Discussion

ITEM/ PARTICULAR	ISSUES/ CONCERNS / DISCUSSIONS	AGREEMENTS/ ACTION REQUIRED
Procurement Guidelines	<ul style="list-style-type: none"> Ms. Arcaina (<i>BACSec</i>) presented the procurement guidelines for the information of the prospective bidders. 	
Background of the Project	<ul style="list-style-type: none"> Mr. Asuncion (<i>ICTMS</i>) discussed that the project aims to provide the audio-visual requirements of DSWD’s Operations Center (OpCen). The OpCen contains a LED Wall (1.5 x 7 meters), video wall processor system, camera and audio system which will be incorporated and should be compatible with the video conferencing system of DSWD which is Hangouts. Everything will be understood as 1 Lot and will have a fifty (50) calendar day implementation. The project has an ABC of PHP 30 Million and requires a 3-year warranty. Ms. Arcaina (<i>BACSec</i>) reminded the prospective bidders that the project is an early procurement and the Information Systems Strategic Plan (ISSP) is still in the process, thus, the award of contract shall be made after the approval of the ISSP and the General Appropriation Act (GAA) of 2020. 	<ul style="list-style-type: none"> Award of contract for the project shall be made after the approval of ISSP and 2020 GAA.

<p>Schedule Requirements</p>	<p>of</p> <ul style="list-style-type: none"> • Ms. Mayor (<i>The Brain</i>) asked if the items are to be procured as one (1) lot. • Mr. Asuncion (<i>ICTMS</i>) replied in the affirmative. 	
<p>Technical Specifications</p> <ul style="list-style-type: none"> - Item 1.14. Input Voltage: 86 ~ 264 Volt - Item 7.1. The Service Provider should have done at least three (3) successful projects for LED Wall and Audio Systems with certifications and proof of very satisfactory from the clients. - Item 7.3. The proposed brand for the LED Wall and Video Controller should have at least 5 deployments each with proof of very satisfactory from the clients. 	<ul style="list-style-type: none"> • Mr. Pineda (<i>The Brain</i>) made a query regarding Item 1.14. which is only applicable for U.S. and not for international use. He suggested to changed it to 220v for Philippine setting. • Mr. Asuncion (<i>ICTMS</i>) responded that ICTMS will review Item 1.14. • U/Sec. Budiongan (<i>BAC Chair</i>) directed its Secretariat to issue a supplemental/ bid bulletin for the purpose. • Mr. Pineda (<i>The Brain</i>) inquired whether all the technical specifications should be complied with the track record. • Mr. Asuncion (<i>ICTMS</i>) replied that the finished projects should at least be similar to the DSWD's project requirements. • Mr. Pineda (<i>The Brain</i>) asked regarding the qualification requiring the proposed brand to have at least 5 deployments. • Mr. Asuncion (<i>ICTMS</i>) clarified that the deployments should be similar. • Ms. David (<i>The Brain</i>) stated that as per RA 9184 2016 IRR, brand names are not allowed. • Mr. Asuncion (<i>ICTMS</i>) agreed to the statement but explained that the qualification only aims to ascertain that the brand has already a maturity in the market. • Ms. David (<i>The Brain</i>) asked if 	<ul style="list-style-type: none"> • End-user (<i>ICTMS</i>) to review the Item 1.14. • BAC shall issue a supplemental/ bid bulletin, if any clarifications or changes will be made, for Item 1.14.

	<p>the functionality and specifications of the equipment cannot just be standardized.</p> <ul style="list-style-type: none"> • Mr. Asuncion (<i>ICTMS</i>) answered that the purpose is to avoid the newly released brands that may be compliant to the requirements but not fully tested in terms of durability. 	
<p>Similar Completed (SLCC) Largest Contract</p>	<ul style="list-style-type: none"> • Ms. David (<i>The Brain</i>) asked what is acceptable for fifty percent (50%) regarding the SLCC. • Mr. Villareal Jr. (<i>BACSec</i>) said that similar contracts should be LED Wall with Audio System per Bidding Documents, thus, LED Wall only will be unacceptable. • Mr. Asuncion (<i>ICTMS</i>) further stated that it would be best if similar contract is with audio system since the project will also be used for video conferencing. • Ms. David (<i>The Brain</i>) said that almost all bidders are integrators. She suggested that the similar contracts be changed to “supply and delivery of various audio-visual equipment”. • Mr. Asuncion (<i>ICTMS</i>) answered that the suggestion will be considered for review. • U/Sec. Budiongan (<i>BAC Chair</i>) directed its Secretariat to issue a supplemental/ bid bulletin for the purpose. 	<ul style="list-style-type: none"> • End-user (<i>ICTMS</i>) to review the SLCC. • BAC shall issue a supplemental/ bid bulletin, if any clarifications or changes will be made, for the SLCC.
<p>Post-Qualification Requirements</p>	<ul style="list-style-type: none"> • Mr. Asuncion (<i>ICTMS</i>) informed the prospective bidders that the project requires demo units, including installation, which should be available until 31 January 2020. • Ms. David (<i>The Brain</i>) asked if only the determined Single Calculated Bid (SCB)/ Lowest 	

	<p>Calculated Bid (LCB) will be required to submit and install demo units. Further, she queried if the specified brands in the Bidding Documents will be the ones to be used as demo units.</p> <ul style="list-style-type: none"> • Mr. Asuncion (<i>ICTMS</i>) responded said that as long the units are new and compliant to the requirements, the units could be accepted as delivered goods. On the other hand, used units can also be utilized as demo units, given that the goods to be delivered will be of the same quality and specifications. 	
<p>Preparation of Bid Proposals</p>	<ul style="list-style-type: none"> • Ms. Arcaina (<i>BACSec</i>) reminded the bidders on how to prepare bid proposal and how to accomplish the forms in the Bidding Documents. 	
<p>Deadline of Submission and Receipt of Queries and Clarifications</p>	<ul style="list-style-type: none"> • Mr. Garcia Jr. (<i>BACSec</i>) reminded the prospective bidders that queries and clarifications may be submitted to the BAC Secretariat on or before 26 December 2020, 05:00 PM, in writing or thru email at bacsec@dswd.gov.ph or thru fax at (02) 951-7116. 	


IV. Adjournment

Having no other matters for discussion, the Pre-Bid Conference was adjourned at **03:00 PM.**


Prepared by:


RAMISES B. ESTEBAN
Administrative Officer III
Bids and Awards Committee Secretariat

Approved by:


OLIVA C. ARCAINA
Supervising Administrative Officer and
Officer-in-Charge, Bids and Awards
Committee Secretariat


Prepared by:


FELICISIMO C. BUDIONGAN
Undersecretary and
Chairperson, Bids and Awards Committee

PRE-BID CONFERENCE

DESCRIPTION	Supply, Delivery and Installation of LED Wall and Audio System for DSWD Operations Center ITB No. GOP/20-DSWD-006
DATE	23 December 2019
TIME	02:30 PM
VENUE	OUS-DRMG Conference Room, Room 202, Directors Dormitory
PARTICIPANTS	BAC, BAC Secretariat, ICTMS, FMS, PMS, Prospective Bidders

AGENDA

I. Call to Order

- A. Introduce the members of the BAC, the BAC Secretariat, and other DSWD Personnel present.
- B. Acknowledge the presence of all interested bidders who are in attendance.
- C. Inform the bidders that questions will be entertained after the reading of the Rules Specified in the Bidding Documents.

II. Procurement Guidelines

- A. The procurement procedure for the **“Supply, Delivery and Installation of LED Wall and Audio System for DSWD Operations Center”** is Competitive Bidding pursuant to the provisions of Republic Act No. 9184 (RA 9184) and its revised 2016 Implementing Rules and Regulations (IRR), otherwise known as the “Government Procurement Reform Act” (GPRA).
- B. All bids will be opened, read aloud, and recorded at the time of the bid opening. **Late bids will be marked “Late” and will be returned unopened to the bidder.** No award shall be made during the bid opening. During the bid opening, the Bids and Awards Committee (BAC) will conduct a preliminary examination of the bid proposals submitted to determine its completeness, check if the required bid security has been posted, and that the documents have been properly signed and are generally in order.
- C. Deviations

Bidders are not allowed to deviate from any of the eligibility, technical and financial specifications specified in the bidding documents. Bids exhibiting non-compliance with the specifications shall be disqualified.
- D. Evaluation and Comparison of Bids

The Procuring Entity will evaluate and compare bids, which have been determined to be responsive during the preliminary examination.

III. The Bidding Documents shall be discussed by the Head of the BAC Secretariat, particularly the following issues:

A. Eligibility and Technical Component

All the required Eligibility and Technical Documents listed on the Instructions to Bidders (ITB) and the Bid Data Sheet (BDS) shall be submitted following such order. Those documents shall be the basis of the preliminary examination of bids.

B. Financial Component

All the required Financial Documents listed in the ITB and BDS shall be submitted, following such order. Those documents will be the basis of the Preliminary Examination of the Financial Proposal during the bid opening.

C. Preliminary Examination

The BAC shall open the **Eligibility and Technical Component (first envelope)** and check the submitted eligibility and technical documents for each bidder against a checklist of required eligibility and technical documents to ascertain if they are all present, **using non-discretionary “pass/fail” criteria**. In case one or more of the required documents is missing, the BAC shall declare the eligibility and technical requirement concerned as **“failed”** and immediately return to the bidder concerned its Financial Component (second envelope). Otherwise, the BAC shall declare the said eligibility requirements as **“passed”**.

Upon completion of the preliminary examination of the Eligibility and Technical component, the BAC shall subsequently open the **Financial Component (second envelope)** and check against a checklist of required financial documents to ascertain if they are all present **using a non-discretionary “pass/fail” criteria**. In case one or more of the financial documents required are missing and/or if the submitted total bid price exceeds the Approved Budget for the Contract (ABC), the BAC shall declare the bid concerned as **“failed”**.

D. Bid Security

Each bidder shall furnish a Bid Security as part of its Bid. The Bid Security shall be in any of the form prescribed on the ITB.

E. Bid Validity Period

Bids shall be valid for **one hundred twenty (120) calendar days** from the date of the opening of bids.

F. Evaluation and Award

The BAC or the designated Technical Working Group (TWG) will conduct a detailed evaluation and comparison of all bids declared “passed”, using non-discretionary criteria. Those who complied with the criteria prescribed in the bidding documents will be ranked in ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications to determine the Lowest Calculated Bid (LCB).



G. Post-Qualification

After determining the **Lowest Calculated Bid (LCB)** or **Single Calculated Bid (SCB)**, as the case maybe, the BAC shall conduct post-qualification to verify, validate, and ascertain all statements made and documents submitted by the bidder with the LCB/SCB, using non-discretionary criteria. If the BAC determines that the bidder with the LCB/SCB passes all the criteria for post-qualification, it shall declare the said bidder as the **Lowest Calculated and Responsive Bid (LCRB)** or **Single Calculated and Responsive Bid (SCRB)** and award the contract to the said bidder.

IV. Open Forum

Any clarifications, issues or concerns that are not found in the bid documents will be announced in writing through Supplemental/Bid Bulletin.

V. Adjournment

INVITATION TO BID FOR
SUPPLY, DELIVERY AND INSTALLATION OF LED WALL AND
AUDIO SYSTEM FOR DSWD OPERATIONS CENTER
— ITB No. GOP/20-DSWD-006 —
(PR No. 2019111811)

1. The Department of Social Welfare and Development (DSWD), through the DSWD Funds, intends to apply the sum of **Thirteen Million Seven Hundred Thousand Pesos (PHP 13,700,000.00)**, being the Approved Budget for the Contract (ABC) to payments under the contract for the **Supply, Delivery and Installation LED Wall and Audio System for DSWD Operations Center**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
 2. The DSWD now invites registered Philippine Government Electronic Procurement System (PhilGEPS) service providers to bid for the **Supply, Delivery and Installation LED Wall and Audio System for DSWD Operations Center**. Delivery of Goods and Services shall be in accordance with **Section VI, Schedule of Requirements**. Bidders should have completed, **within five (5) years from the date of submission and receipt of bids**, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.
- Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
4. Interested bidders may obtain further information from **DSWD Bids and Awards Committee (BAC) Secretariat** and inspect the Bidding Documents at the address given below from **Monday to Friday at 08:00 AM to 05:00 PM**.
 5. A complete set of Bidding Documents may be purchased by interested Bidders on **16 December 2019 to 08 January 2020** from the address below and upon payment of a nonrefundable fee for the Bidding Documents in the amount of **Fifteen Thousand Pesos (PhP 15,000.00)**.

It may also be downloaded free of charge from the website of the PhilGEPS and the website of the Procuring Entity, provided that Bidders shall pay the nonrefundable fee for the Bidding Documents not later than the submission of their bids.

6. The DSWD will hold a **Pre-Bid Conference** on **23 December 2019, 02:30 PM**, at the **Office of the Undersecretary for Disaster Response Management Group (OUS-DRMG) Conference Room, Room 202, Directors Dormitory, DSWD Central Office, IBP Road, Constitution Hills, Quezon City** which shall be open to all interested parties.
7. Bids must be delivered to the address below on or before **08 January 2020, 09:00 AM**. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 18**.


Bid opening shall be on **08 January 2019, 10:00 AM**, at the **Office of the Undersecretary for Disaster Response Management Group (OUS-DRMG) Conference Room, Room 202, Directors Dormitory, DSWD Central Office, IBP Road, Constitution Hills, Quezon City**. Bids will be opened in the presence of the Bidders' representatives who choose to attend. Late bids shall not be accepted.
8. To facilitate the immediate implementation of the procurement of this Project, the DSWD shall proceed with the conduct of Early Procurement Activities (EPA), pursuant to Section 7.6 (as amended¹) of the 2016 Revised IRR of RA 9184, Section 19 of the General Provisions of the FY 2020 National Expenditure Program (NEP) and Government Procurement Policy Board (GPPB) Resolution No. 14-2019 dated 17 July 2019.
9. The DSWD reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its 2016 Revised IRR, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:

THE CHAIRPERSON

DSWD Bids and Awards Committee
c/o BAC Secretariat

Ground Floor, DSWD Central Office
IBP Road, Constitution Hills, Quezon City
Fax No. (02) 931-6139

Telephone Nos. (02) 931-8101 to 07 Local 122 or 124


FELICISIMO C. RUIDONGAN
Undersecretary and
Chairperson, Bids and Awards Committee

¹ GPPB Resolution No. 14-2019 dated 17 July 2019

Section VI. Schedule of Requirements

Supply, Delivery and Installation of LED Wall and Audio System for DSWD Operations Center

Lot No.	Particulars	Quantity
	LED Wall Display	1
	Video Wall Processor System	1
	Audio Controller and Chairman Unit	1
	Delegate Unit	17
	Microphones	18
1	Camera	1
	Sound Amplifier	1
	Wall Speakers	2
	Ceiling Speakers	4
	Audio and Discussion System	1
	Mobilization, Installation, and Configuration	1

I. Delivery and Installation

- Delivery and installation of goods shall be **within fifty (50) calendar days** from receipt of **Notice to Proceed (NTP)**.

II. Terms of Payment

- One-time payment shall be made after successful installation and issuance of certificate of acceptance by the End-user.
- Payment processing will be made within thirty (30) calendar days from the receipt of Sales Invoice or Billing Statement with complete supporting documents.

III. Delivery Site*

DSWD Central Office
 c/o Contract Monitoring Division-Procurement Management Service
 DSWD Central Office
 IBP Road, Batasan Complex, Constitution Hills, Quezon City
 * in coordination with ICTMS

Name of Bidder: _____

Name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Technical Specifications

DSWD Specifications	Bidder's Specifications ⁷
<p>1. LED WALL DISPLAY</p> <p>1.1. High Definition LED Display: 1.5m (H) x 7.0m (W)</p> <p>1.2. Dimension: (W x H) 250 mm x 250 mm</p> <p>1.3. Pixel Pitch: 2.8 mm</p> <p>1.4. Resolution: (W x H) 88 x 88</p> <p>1.5. LED Configuration: Black SMD2020 (Black)</p> <p>1.6. Pixel Configuration: 1R, 1G, 1B</p> <p>1.7. Pixel Density: 123,904 dots/sq. m</p> <p>1.8. Brightness Control: 256 Level Grade</p> <p>1.9. IP Grade: IP30</p> <p>1.10. Grayscale: 16 bits</p> <p>1.11. Viewing Distance: 3m</p> <p>1.12. Brightness: 900/2200(HB)cd/m²</p> <p>1.13. Refresh Frequency: 3,840 Hz</p> <p>1.14. Input Voltage: 86 ~ 264 Volt</p> <p>1.15. Signal Input Format: Composite, S-Video, VGA, DVI, YPbPr, HDMI, SDI</p>	<p>Brand:</p> <p>Model:</p> <p>Detailed Specifications:</p>

⁷ **IMPORTANT NOTE:** Detailed specifications must be provided. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB Clause 3.1(a)(ii)** and/or **GCC Clause 2.1(a)(ii)**.

2. VIDEO WALL PROCESSOR SYSTEM

- 3.1. 4U Chassis, up to 10x I/O slots
- 3.2. 8 Channels fiber input card
- 3.3. 4 Channels DVI output card
- 3.4. 4 Channels fiber output card
- 3.5. Network previewing card
- 3.6. 1U rack mount (fits up to 4 KVM cards)
- 3.7. HDMI Transmitter support USB 2.0, card only
- 3.8. HDMI Receiver. support USB 2.0 w/ standalone box
- 3.9. DVI to DVI Cable
- 3.10. HDMI Cable
- 3.11. i7 Computer w/ High Graphics Card
- 3.12. Single keyboard and mouse set: Provides the operator access to view and manage any source within the system via multiple monitors and single Keyboard and Mouse set
- 3.13. Mouse-based OSD control: On each monitor, operator can call OSD menu, and slide mouse to preview source contents, switch sources, select work mode, and recall pre-saved presets
- 3.14. Multi-viewer and full screen presentation: provides a single, personalized, centralized, visualized view of any contents, as well as easy access to remote workstations or desktops. All of the resources are composed and displayed on the monitors in front of the operator, with 4 Multi-viewer or full screen displaying, which can be freely movable and resizable, switched or pushed to any other display location or the video wall
- 3.15. Seamless switching and 0 delay: Seamless switching without any blank screen intervals. Instant operations with KVM. 4K UHD

Brand:

Model:

Detailed Specifications:

<p>supported.</p> <p>3.16. Screen push and operators interaction: provides the real-time/ instant screen push/ sharing function to let the operators to interact with each other and no need to switch seats</p> <p>3.17. Pre-defined presets and instant recall: allows operators to pre-define all screen layouts and setups</p>	
<p>3. AUDIO AND DISCUSSION SYSTEM (1 set)</p> <p>3.1. 1 unit of Mixer Amplifier Series; 240W (RMS), 495W Total power loading, 110V/220V/8Ω, zone selector (x5), All call(x1), 5 channels</p> <p>3.2. 2 units of Water-proof two-way HIFI wall speaker, Bass: 6.5", Treble: 1.25". 100V, Switch:(20W/15W/10W/5W) and 8Ω. Power: 40-80W. Dimension: (11.65"x8.86"x7.6")</p> <p>3.3. 4 units of 6.5"; ABD Pendant-ball ceiling speaker (15W Transfer), suspensory, cable length 2M. Rated input: 20W</p> <p>3.4. 1 unit of Main Control Unit; Cabinet-type unit that works with series microphones</p> <p>3.5. 1 unit of Series Chairman Unit; Tabletop unit with OLED display showing the operation mode and ID number of the unit, and chairman speaking mode setting. Has precise voice-activation</p> <p>3.6. 17 units of Series Delegate Unit; Table-top unit with OLED display showing the operation mode and ID number of the unit. Has precise voice-activation</p> <p>3.7. DIN Type, 43cm single neck microphone</p> <p>3.8. 4 ports, RJ Jack, Circuit distributor</p> <p>3.9. STP / FTP Cat5e cable</p> <p>3.10. STP / FTP Cat5e cable</p>	<p>Brand:</p> <p>Model:</p> <p>Detailed Specifications:</p>

<p>4. CAMERA</p> <ul style="list-style-type: none"> 4.1. Camera, USB 3.0 video output interface 4.2. Compatible with Windows, Linux, MAC OSX, and Chrome OS 4.3. 12x optical zoom, full HD 1080p high definition signal output format with a high frame rate of 60 fps 4.4. Horizontal viewing angle: 70° 4.5. Recording and Streaming CCU 4.6. 4 Channel FHD 1080p 60FPS video inputs: IP streaming or HDMI 4.7. 2 Channel HDMI outputs: Multi View quad view or PGM (programmed video) 4.8. Supports TSMP, HLS, RSTP and TS protocols for broadcasting videos online 4.9. Allows text and image overlay 4.10. Equipped with Web UI 4.11. With built-in 1 TB hard disk and NAS for data saving 4.12. Redishow Wireless Presentation Gateway System, iRedi Series w/ 1 Presentation Dongle 4.13. HDMI Cable, High Speed with Ethernet 4.14. USB 2.0 Extender cable 12m (Cascading/Daisy chain) 4.15. Should be able to autofocus on the person who is speaking during video conferencing/meetings 	<p>Brand: Model: Detailed Specifications:</p>
---	---

<p>5. ADDITIONAL REQUIREMENTS</p> <p>5.1. The audio discussion system and camera should be able to integrate with the video wall controller.</p> <p>5.2. The audio discussion system, video wall controller, and camera should be compatible with Google meet/hangouts and Skype for Business.</p>	<p>Detailed Specifications:</p>
<p>6. GENERAL SERVICES</p> <p>6.1. Includes mobilization/demobilization, O&M manual, engineering supervision, testing and commissioning.</p> <p>6.2. Installation, cabling, cable pulling, connectors, labor and installation materials</p> <p>6.3. Includes pipes, hangers/supports, junction boxes, screws, nuts, bolts, end-connectors and other hardware materials. Includes labor, such as masonry and drilling works.</p> <p>6.4. Includes 42 RU for Server Rack</p>	<p>Detailed Specifications:</p>
<p>7. QUALIFICATIONS OF SERVICE PROVIDER</p> <p>7.1. The Service Provider should have done at least three (3) successful projects for LED Wall and Audio Systems with certifications and proof of very satisfactory from the clients.</p> <p>7.2. The Service Provider must be in the business of providing audio-video solutions for the last 5 years.</p> <p>7.3. The proposed brand for the LED Wall and Video Controller should have at least 5 deployments each with proof of very satisfactory from the clients.</p>	<p>Detailed Specifications:</p>
<p>8. WARRANTY</p> <p>8.1. Three (3) years on parts and services upon signing of the certificate of completion.</p> <p>8.2. Parts replacement should be next business day.</p>	<p>Detailed Specifications:</p>

9. DEMO UNITS



The following demo units, inclusive of installation and set-up, shall be provided during post-qualification stage of the bidding process:

9.1. LED Wall Display (at least 1.5m x 5m). All specifications, except for the size, should be similar to the one being procured.

9.2. 1 unit of Video Wall Processor System. All specifications should be similar to one being procured.

Demo units including installation, should be available within five (5) working days from the date of the request to demo. The demo units should be available until 31 January 2020.

PROPOSED STRUCTURE OF THE OPERATIONS CENTER



Name of Bidder: _____

Name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

PRE-BID CONFERENCE
SUPPLY, DELIVERY AND INSTALLATION OF LED WALL AND AUDIO SYSTEM FOR DSWD OPERATIONS CENTER
(ITB NO. GOP/20-DSWD-006)
23 December 2019 at 02:30 PM
OUS-DRMG, Room 202, Directors Dormitory, DSWD Central Office, IBP Road, Batasan Hills, Quezon City

ATTENDANCE SHEET









NO.	NAME	OFFICE	SEX	EMAIL	CONTACT NO.	SIGNATURE
1	USec. Felicisimo C. Budiongan (BAC Chairperson)	OUSDRMG	M	fcbudiongan@dswd.gov.ph		
2	USec. Rene Glen O. Paje (BAC Regular Member)	OUSISP	M	rgopaje@dswd.gov.ph		
3	ASec. Noel M. Macalalad (BAC Alternate Member)	OASSCB	M	nmmacalalad@dswd.gov.ph		
4	Dir. Ernestina Z. Solloso (BAC Regular Member)	4Ps	F	ezsolloso@dswd.gov.ph		
5	Dir. Irene B. Dumlao (BAC Alternate Member)	SMS	F	ibdumlao@dswd.gov.ph		
6	Dir. Emmanuel P. Privado (BAC Regular Member)	NRLMB	M	epprivado@dswd.gov.ph		
7	Mr. Felix M. Armeña (BAC Alternate Member)	ICTMS	M	fmarmena@dswd.gov.ph		
8	Dir. Andrew J. Ambubuyog (BAC Provisional Member)	ICTMS	M	ajambubuyog@dswd.gov.ph		
9	Atty. Karina Antonette A. Agudo	PMS	F	kaagudo@dswd.gov.ph	Loc. 121 -124	
10	Ms. Oliva C. Arcaina	BAC Secretariat	F	ocaraina@dswd.gov.ph	Loc. 121 -124	
11	Mr. Ramon M. Villareal Jr.	BAC Secretariat	M	rmvillarealj@dswwd.gov.ph	Loc. 121 -124	
12	Mr. William V. Garcia Jr.	BAC Secretariat	M	wvgarciajr@dswd.gov.ph	Loc. 121 -124	
13	Ms. Katrina E. Garcia	BAC Secretariat	F	kegarcia@dswd.gov.ph	Loc. 121 -124	

ATTENDANCE SHEET

NO.	NAME	OFFICE	SEX	EMAIL	CONTACT NO.	SIGNATURE
14	Mr. Arjay C. Dimafelix	BAC Secretariat	M	acdimafulix@dswd.gov.ph	Loc. 121 -124	
15	Mr. Ramises B. Esteban	BAC Secretariat	M	rbesteban@dswd.gov.ph	Loc. 121 -124	
16	Ms. Danilyn A. Dedeles	BAC Secretariat	F	dadedeles@dswd.gov.ph	Loc. 121 -124	
17	Mr. Glenn Patrick A. Leynes	BAC Secretariat	M	gpaleynes@dswd.gov.ph	Loc. 121 -124	
18	Mr. Prince A. Lee	BAC Secretariat	M	palee@dswd.gov.ph	Loc. 121 -124	
19	Ms. Filipinas B. Alfonso	BAC Secretariat	F	fbalfonso@dswd.gov.ph	Loc. 121 -124	
20	Ms. Chelsea Jillian M. Abeleda	BAC Secretariat	F	cjmadeleda@dswd.gov.ph	Loc. 121 -124	
21	Mr. Lourence C. Buenaventura	BAC Secretariat	M	lcbuenaventure@dswd.gov.ph	Loc. 121 -124	
22	Ms. Marden D. Aquino	BAC Secretariat	F	mdaquino@dswd.gov.ph	Loc. 121 -124	
23	ONI GTA INF 2	ICTMS	M			
24	Dennis B. B. B.	ICTMS	M			
25	Agencia Bay B. Gubator	PM5 - PMA-D	F	agencia@bbsb.dswd.gov.ph	124	
26	Fernand Marquez	PM5 - COM	M	fernandmarquez@dswd.gov.ph	loc. 506	
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						

PRE-BID CONFERENCE
SUPPLY, DELIVERY AND INSTALLATION OF LED WALL AND AUDIO SYSTEM FOR DSWD OPERATIONS CENTER
(ITB NO. GOP/20-DSWD-006)
23 December 2019 at 02:30 PM
OUS-DRMG, Room 202, Directors Dormitory, DSWD Central Office, IBP Road, Batasan Hills, Quezon City

BIDDERS ATTENDANCE SHEET

NO.	NAME	OFFICE	SEX	EMAIL	CONTACT NO.	SIGNATURE
1	Melvin Verajona	Jobor Computer	F	malosverajona@gmail.com	01175429961	
2	JOEL PINEDA	THE BRAIN COMPANY	M	freddie@brain.com.ph	8-722-8843	
3	JACQUE JAVIER	ADI	F	jacque-nathused@gmail.com	09175815710	
4	DENNIS REBOQUIA	AGD	M			
5	MAMEL ABDON		F	mamiel.abdon@agdata.com	01171227572	
6	Elizabeth P. Garcia	the Brain Computer Corp.	F	integration.c@brain.com.ph	09214143862	
7	Lynn E. Zolomgor	MICRODATA SYSTEMS + MGT. INC	F	lez@microdata.com.ph	8-705-777 loc 8826	
8	JEROME PASCARO	ANJENE INDUSTRIES	M	pancabo.jerome@ag.c	09402601549	
9	Manalang, Daniel	Bcsolution Tech Corporation	M	danielmanalang@bcsol.com	09338189900	
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						